

IECEx Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification Scheme for Explosive Atmospheres for rules and details of the IECEx Scheme visit www.iecex.com

| Certificate No.: | IECEx EPS 11.0002X | issue No.:1 | Certificate history: | | |
|---|---|-----------------------|---|--|--|
| Status: | Current | | Issue No. 1 (2011-9-12) Issue No. 0 (2011-9-1) | | |
| | Current | | | | |
| Date of Issue: | 2011-09-12 | Page 1 of 4 | | | |
| Applicant: | Young Tech. co., Ltd #3022, Hagun-Ri, Yangchon-Myeon, Gimpo-Si, Gyeonggi-Do, Korea Korea, Republic of | | | | |
| Electrical Apparatus: Optional accessory: | YT-3400 Smart Valve Positioner YT-3450 stainless steel model | | | | |
| Type of Protection: | "db" and "tb" | | | | |
| Marking: | Ex db IIC T5/T6 Ex tb IIIC T85°C/T100°C | | | | |
| Approved for issue on behalf of the IECEx Certification Body: | | Achim Hänchen | | | |
| Position: | | Head of Certification | | | |
| Signature: (for printed version) | | | | | |
| Date: | | | | | |
| 1. This certificate and schedule may only be reproduced in full. 2. This certificate is not transferable and remains the property of the issuing body. 3. The Status and authenticity of this certificate may be verified by visiting the Official IECEx Website. | | | | | |
| Certificate issued by: | | | | | |

Bureau Veritas Consumer Products Services Germany GmbH Businesspark A96 86842 Türkheim Germany



IECEx Certificate of Conformity

Certificate No.: IECEx EPS 11.0002X

Date of Issue: 2011-09-12 Issue No.: 1

Page 2 of 4

Young Tech. co., Ltd Manufacturer:

#3022, Hagun-Ri, Yangchon-Myeon, Gimpo-Si, Gyeonggi-Do, Korea

Korea, Republic of

Manufacturing location(s):

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

STANDARDS:

The electrical apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

IEC 60079-0 : 2007-10 Explosive atmospheres - Part 0:Equipment - General requirements

Edition: 6

IEC 60079-1: 2007-04

Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"

IEC 60079-31 : 2008

Edition: 1

Explosive atmospheres - Part 31: Equipment dust ignition protection by enclosure 't'

This Certificate does not indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in

Test Report:

DE/EPS/ExTR11.0002/00

DE/EPS/ExTR11.0002/01

Quality Assessment Report:

DE/EPS/QAR11.0002/00



IECEx Certificate of Conformity

| Certificate No.: | IECEx EPS 11.0002X | |
|--|--|---|
| Date of Issue: | 2011-09-12 | Issue No.: 1 |
| | | Page 3 of 4 |
| | 21.11 | |
| | Schedule | |
| EQUIPMENT: Equipment and systems co | vered by this certificate are as follows: | |
| The YT-3400 Valve Positio controller. The enclosure of | ner controls valve stroke, according to ar onsists of a flameproof part with electron | n input signal of 4- 20mA, which comes from a ics and a pneumatic part with a pilot valve inside. |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| CONDITIONS OF CERTIF | ICATION: YES as shown below: | |
| Hazardous area with carbo | n disulfide shall be excluded. | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



IECEx Certificate of Conformity

| Certificate No.: | IECEx EPS 11.0002X | |
|---|--|---|
| Date of Issue: | 2011-09-12 | Issue No.: 1 |
| | | Page 4 of 4 |
| | | |
| | E CHANGES (for issues 1 and above | |
| Additionally to the YT-3400 marking and special conditi | Series, the stainless steel model type 'ons as YT-3400 models. | YT-3450 can be used in hazardous location with same |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |